

REPORT PROVA H/V

Stazione	26
WGS84 N	1704241,3
WGS84 E	4859896,4
Strumentazione	Sara SR04S3 4,5 Hz
Frequenza campionamento	100 Hz
Durata registrazione	30 min
Terreno di misura	Terreno naturale
Orientamento	0° N
Condizioni meteo	Sereno, non ventoso



Lunghezza finestre	20 sec
Tipo di lisciamento	Triangolare cost.
Ampiezza lisciamento	10 %
Intervallo di frequenza (Hz)	3,0 – 20,0
Picco H/V (Hz)	12,0
CLASSE DI QUALITA'	A

Horizontal-to-Vertical Spectral Ratio

Dataset: 26_101bisMT_20120827_095131.SAF

Sampling frequency (Hz): 100

Window length (sec): 20

Length of analysed temporal sequence (min): 5.4

Tapering (%): 10

=====

In the following the results considering the data in the 3.0-20.0Hz frequency range

Peak frequency (Hz): 12.0 (± 0.9)

Peak HVSr value: 6.4 (± 1.3)

=== Criteria for a reliable H/V curve =====

#1. [$f_0 > 10/Lw$]: 12.0 > 0.5 (OK)

#2. [$n_c > 200$]: 7455 > 200 (OK)

#3. [$f_0 > 0.5\text{Hz}$; $\sigma_A(f) < 2$ for $0.5f_0 < f < 2f_0$] (OK)

=== Criteria for a clear H/V peak (at least 5 should be fulfilled) =====

#1. [exists f_- in the range [$f_0/4, f_0$] | $AH/V(f_-) < A_0/2$]: yes, at frequency 8.7Hz (OK)

#2. [exists f_+ in the range [$f_0, 4f_0$] | $AH/V(f_+) < A_0/2$]: yes, at frequency 13.5Hz (OK)

#3. [$A_0 > 2$]: 6.4 > 2 (OK)

#4. [$f_{\text{peak}}[AH/V(f) \pm \sigma_A(f)] = f_0 \pm 5\%$]: (NO)

#5. [$\sigma_{\text{f}} < \epsilon(f_0)$]: 0.860 > 0.601 (NO)

#6. [$\sigma_A(f_0) < \theta(f_0)$]: 1.187 < 1.58 (OK)

show data **reset**

step#1 (optional) - decimate
128Hz **new frequency** **resample**

step#2 - H/V computation
remove events **clean axes**
20 window length (s)
10 tapering (%)
10% spectral smoothing (triangular window)
☐ show particle motion (raw data) **compute**

step#3a (optional) - directivity analysis - **computation of the basic (and possibly selected) analyses**
compute max freq: 32 Hz



step#3b (optional) - directivity over time
directivity in time time step: 60 s

save - option#1: save HVSR as it is
Save H/V from 0.3 to 64 Hz
save HV curve (as it is)

Save - option#2: picking H/V curve
pick HV curve **save picked HV**

quick analysis (f=Vs/4H)
☐ average Vs (m/s) (from surface to bedrock)
☐ depth of the bedrock (m)
compute

www.wim3sw.com



HVSR vs time

