

REPORT PROVA H/V

Stazione	28
WGS84 N	1704038,0
WGS84 E	4860198,1
Strumentazione	Sara SR04S3 4,5 Hz
Frequenza campionamento	100 Hz
Durata registrazione	30 min
Terreno di misura	Terreno naturale
Orientamento	0° N
Condizioni meteo	Sereno, non ventoso



Lunghezza finestre	20 sec
Tipo di lisciamento	Triangolare cost.
Ampiezza lisciamento	10 %
Intervallo di frequenza (Hz)	0,5 – 20,0
Picco H/V (Hz)	No picco
CLASSE DI QUALITA'	B

Horizontal-to-Vertical Spectral Ratio

Dataset: 28_103MT_20120801_124203.SAF

Sampling frequency (Hz): 100

Window length (sec): 20

Length of analysed temporal sequence (min): 15.2

Tapering (%): 10

=====

In the following the results considering the data in the 0.5-20.0Hz frequency range

Peak frequency (Hz): 1.4 (± 6.2)

Peak HVSR value: 2.2 (± 0.6)

=== Criteria for a reliable H/V curve ===

#1. [$f_0 > 10/Lw$]: $1.4 > 0.5$ (OK)

#2. [$nc > 200$]: $2551 > 200$ (OK)

#3. [$f_0 > 0.5\text{Hz}$; $\sigma_A(f) < 2$ for $0.5f_0 < f < 2f_0$] (OK)

=== Criteria for a clear H/V peak (at least 5 should be fulfilled) ===

#1. [exists f_- in the range $[f_0/4, f_0]$ | $AH/V(f_-) < A_0/2$]: (NO)

#2. [exists f_+ in the range $[f_0, 4f_0]$ | $AH/V(f_+) < A_0/2$]: yes, at frequency 3.0Hz (OK)

#3. [$A_0 > 2$]: $2.2 > 2$ (OK)

#4. [$f_{\text{peak}}[A_h/v(f) \pm \sigma_A(f)] = f_0 \pm 5\%$]: (NO)

#5. [$\sigma_{\text{maf}} < \epsilon(f_0)$]: $6.244 > 0.142$ (NO)

#6. [$\sigma_A(f_0) < \theta(f_0)$]: $0.657 < 1.78$ (OK)

show data **reset**

step#1 (optional) - decimate
128Hz **new frequency** **resample**

step#2 - H/V computation
remove events **clean axes**
20 window length (s)
10 tapering (%)
10% spectral smoothing (triangular window)
☐ show particle motion (raw data) **compute**

step#3a (optional) - directivity analysis
compute max freq: 32 Hz



step#3b (optional) - directivity over time
directivity in time time step: 60 s

save - option#1: save HVSR as it is
Save H/V from 0.3 to 64 Hz
save HV curve (as it is)

Save - option#2: picking H/V curve
pick HV curve **save picked HV**

quick analysis (f=Vs/4H)
☐ average Vs (m/s) (from surface to bedrock)
☐ depth of the bedrock (m) **compute**

www.wirmasw.com



HVSR vs time

